

**UPPER LACHLAN SHIRE COUNCIL
CROOKWELL LANDFILL
EPA LICENCE NO. 6054**

POINT 1 - LEACHATE DAM - NO WATER IN DAM (NO SAMPLES TAKEN)

POINT 2 - SEDIMENTATION DAM ON SITE

DATE			pH	CONDUCTIVITY	SUSPENDED SOLIDS mg/L	ALKALINITY	NITROGEN (AMMONIA) mg/L	NITRATE mg/L	BOD
SAMPLES TAKEN	SAMPLES RECEIVED	RESULTS ISSUED							
26/06/2014	26/06/2014	4/07/2014	7.39	466	6	105	0.6	0.02	<2
8/10/2014	9/10/2014	15/10/2014	7.54	521	10	121	<0.1	<0.05	3
26/11/2014	27/11/2014	4/12/2014	7	642	618	116	<0.1	<0.05	8
4/03/2015	No Sample	Dam Dry							
23/06/2015	24/06/2015	4/07/2015	7.16	379	8	67	<0.1	<0.05	2
29/09/2015	30/09/2015	9/10/2015	7.51	543	11	122	<0.1	<0.05	5
15/12/2015	No Sample								
22/03/2016	No Sample								
21/06/2016	22/06/2016	5/07/2016	7.26	320	61	47	0.3	0.03	<2
29/11/2016	30/11/2016	6/12/2016	7.48	497	51	180	2.2	<0.05	35
20/12/2016	21/12/2016	3/01/2017	8.2	431	79	128	0.6	0.05	16
21/03/2017	22/03/2017	27/03/2017	7.36	320	80	74	1.4	0.17	3
27/06/2017	28/06/2017	4/07/2017	7.53	406	12	105	2.1	0.12	3
22/08/2017	23/08/2017	29/08/2017	7.68	379	16	85	1.6	0.4	<2
28/11/2017	29/11/2017	4/12/2017	7.75	297	26	76	0.2	0.27	3
27/03/2018	28/03/2018	5/04/2018	7.7	329	21	96	0.5	0.01	2
26/06/2018	27/06/2018	5/07/2018	7.62	322	8	78	0.7	0.16	2
18/09/2018	19/09/2018	27/08/2018	7.71	412	23	102	1.5	0.7	2

POINT 3 - SEDIMENTATION DAM ON EASTERN PROPERTY

DATE			pH	CONDUCTIVITY	SUSPENDED SOLIDS mg/L	ALKALINITY	NITROGEN (AMMONIA) mg/L	NITRATE mg/L	BOD
SAMPLES TAKEN	SAMPLES RECEIVED	RESULTS ISSUED							
26/06/2014	26/06/2014	4/07/2014	7.81	808	9	184	0.1	0.16	<2
8/10/2014	9/10/2014	15/10/2014	8.27	789	6	227	<0.1	<0.05	5
26/11/2014	27/11/2014	4/12/2014	8.16	940	16	283	<0.1	<0.05	5
4/03/2015	5/03/2015	12/03/2015	8.26	964	<2	270	<0.1	<0.05	<2
23/06/2015	24/06/2015	4/07/2015	8.01	847	4	213	<0.1	<0.05	<2
29/09/2015	30/09/2015	9/10/2015	8.15	842	5	245	<0.1	0.24	2
15/12/2015	16/12/2015	23/12/2015	7.84	935	4	296	<0.1	<0.05	<2
22/03/2016	23/03/2016	31/03/2016	8.25	1060	<2	337	<0.1	<0.05	<2
21/06/2016	22/06/2016	5/07/2016	7.74	608	7	112	<0.1	1.41	<2
29/11/2016	30/11/2016	6/12/2016	7.95	908	4	323	<0.1	0.95	2
20/12/2016	21/12/2016	3/01/2017	8.01	992	8	364	<0.1	<0.05	<2
21/03/2017	22/03/2017	27/03/2017	8.04	824	22	294	<0.1	0.06	2
27/06/2017	28/06/2017	4/07/2017	7.84	829	4	316	0.1	<0.05	<2
22/08/2017	23/08/2017	29/08/2017	7.98	706	3	259	<0.1	<0.05	<2
28/11/2017	29/11/2017	4/12/2017	7.68	539	7	218	0.1	<0.05	2
27/03/2018	28/03/2018	5/04/2018	7.83	714	10	270	<0.1	<0.05	<2
26/06/2018	27/06/2018	5/07/2018	7.75	780	13	277	0.2	<0.05	2
18/09/2018	19/09/2018	27/08/2018	7.87	775	17	262	0.1	<0.05	2

POINT 4 - GROUNDWATER BORE MW 1

DATE			pH	CONDUCTIVITY	SUSPENDED SOLIDS mg/L	ALKALINITY	NITROGEN (AMMONIA) mg/L	NITRATE mg/L	BOD
SAMPLES TAKEN	SAMPLES RECEIVED	RESULTS ISSUED							
26/06/2014	26/06/2014	4/07/2014	5.48	103	33	14	0.1	0.52	<2
8/10/2014	9/10/2014	15/10/2014	5.72	101	12	13	<0.1	0.45	<2
26/11/2014	27/11/2014	4/12/2014	5.55	106	18	14	0.1	0.59	<2
4/03/2015	5/03/2015	12/03/2015	5.75	103	6	14	<0.1	0.5	<2
23/06/2015	24/06/2015	4/07/2015	5.92	104	57	17	<0.1	0.49	<2
29/09/2015	30/09/2015	9/10/2015	5.87	102	19	15	<0.1	0.5	<2
15/12/2015	16/12/2015	23/12/2015	5.64	114	21	15	<0.1	0.52	<2
22/03/2016	23/03/2016	31/03/2016	6.17	98	10	15	<0.1	0.56	<2
21/06/2016	22/06/2016	5/07/2016	5.99	101	21	18	<0.1	0.59	<2
29/11/2016	30/11/2016	6/12/2016	6.11	102	19	13	<0.1	0.58	<2
20/12/2016	21/12/2016	3/01/2017	6.11	108	30	14	<0.1	0.56	<2
21/03/2017	22/03/2017	27/03/2017	6.24	366	15	13	<0.1	0.54	<2
27/06/2017	28/06/2017	4/07/2017	6.1	111	9	14	<0.1	0.56	<2
22/08/2017	23/08/2017	29/08/2017	6.25	111	5	14	<0.1	0.5	<2
28/11/2017	29/11/2017	4/12/2017	6.3	105	6	13	<0.1	0.58	<2
27/03/2018	28/03/2018	5/04/2018	6.32	105	2	14	<0.1	0.61	<2
26/06/2018	27/06/2018	5/07/2018	5.97	109	13	14	<0.1	0.53	<2

18/09/2018	19/09/2018	27/08/2018	6.27	107	10	14	0.2	0.51	<2
------------	------------	------------	------	-----	----	----	-----	------	----

POINT 5 - GROUNDWATER BORE MW2

DATE			pH	CONDUCTIVITY	SUSPENDED SOLIDS mg/L	ALKALINITY	NITROGEN (AMMONIA) mg/L	NITRATE mg/L	BOD
SAMPLES TAKEN	SAMPLES RECEIVED	RESULTS ISSUED							
26/06/2014	26/06/2014	4/07/2014	4.82	214	12	6	<0.1	7.34	<2
8/10/2014	9/10/2014	15/10/2014	5.06	223	6	7	<0.1	6.82	<2
26/11/2014	27/11/2014	4/12/2014	5.01	217	7	7	<0.1	6.85	<2
4/03/2015	5/03/2015	12/03/2015	5.24	210	9	7	<0.1	6.59	<2
23/06/2015	24/06/2015	4/07/2015	5.72	209	3	8	<0.1	6.66	<2
29/09/2015	30/09/2015	9/10/2015	5.37	220	3	7	<0.1	6.57	<2
15/12/2015	16/12/2015	23/12/2015	5.04	208	4	8	<0.1	6.55	<2
22/03/2016	23/03/2016	31/03/2016	5.55	202	7	8	<0.1	6.7	<2
21/06/2016	22/06/2016	5/07/2016	5.39	164	6	10	<0.1	6.99	<2
29/11/2016	30/11/2016	6/12/2016	5.2	214	4	4	<.1	4.73	<2
20/12/2016	21/12/2016	3/01/2017	5.43	209	18	6	<0.1	4.57	<2
21/03/2017	22/03/2017	27/03/2017	5.73	233	4	6	<0.1	4.6	<2
27/06/2017	28/06/2017	4/07/2017	5.49	211	3	6	<0.1	5.37	<2
22/08/2017	23/08/2017	29/08/2017	5.4	230	<2	4	<0.1	5.9	<2
28/11/2017	29/11/2017	4/12/2017	5.52	222	4	4	<0.1	5.84	<2
27/03/2018	28/03/2018	5/04/2018	5.57	211	4	9	<0.1	6.05	<2
26/06/2018	27/06/2018	5/07/2018	5.27	205	4	4	<0.1	6.18	<2
18/09/2018	19/09/2018	27/08/2018	5.42	210	5	3	0.1	6.09	<2

POINT 6 - GROUNDWATER BORE MW3 - DAMAGED BY EARTHWORKS (NO SAMPLES TAKEN)

POINT 7 - GROUNDWATER BORE MW4S

DATE			pH	CONDUCTIVITY	ALKALINITY	NITROGEN (AMMONIA) mg/L	NITRATE mg/L	BOD
SAMPLES TAKEN	SAMPLES RECEIVED	RESULTS ISSUED						
26/06/2014	26/06/2014	4/07/2014	4.57	372	5	0.1	16.5	<2
8/10/2014	9/10/2014	15/10/2014	4.66	385	5	<0.1	19.2	<2
26/11/2014	27/11/2014	4/12/2014	4.63	384	6	0.1	18	<2
4/03/2015	5/03/2015	12/03/2015	4.78	388	5	0.1	15.7	<2
23/06/2015	24/06/2015	4/07/2015	4.78	390	7	0.1	12.9	<2
29/09/2015	30/09/2015	9/10/2015	5.21	391	6	0.1	17.2	<2
15/12/2015	16/12/2015	23/12/2015	4.73	395	6	0.1	16.6	<2
22/03/2016	23/03/2016	31/03/2016	4.76	386	5	0.2	12.7	<2
21/06/2016	22/06/2016	5/07/2016	4.98	492	8	0.2	6.99	<2
29/11/2016	30/11/2016	6/12/2016	4.92	393	3	0.1	15.5	<2
20/12/2016	21/12/2016	3/01/2017	5	393	3	0.1	17.4	<2
21/03/2017	22/03/2017	27/03/2017	5.66	419	12	0.1	16.3	<2
27/06/2017	28/06/2017	4/07/2017	5.06	400	4	<0.1	16.2	<2
22/08/2017	23/08/2017	29/08/2017	4.89	405	2	<0.1	15.2	<2
28/11/2017	29/11/2017	4/12/2017	5.07	401	2	0.1	13.9	<2
27/03/2018	28/03/2018	5/04/2018	4.91	391	86	3	12.4	<2
26/06/2018	27/06/2018	5/07/2018	4.95	462	32	4	5.39	<2

18/09/2018	19/09/2018	27/08/2018	5.02	407	3	0.3	0.02	<2
------------	------------	------------	------	-----	---	-----	------	----

POINT 8 - GROUNDWATER BORE MW4D

DATE			pH	CONDUCTIVITY	ALKALINITY	NITROGEN (AMMONIA) mg/L	NITRATE mg/L	BOD	
SAMPLES TAKEN	SAMPLES RECEIVED	RESULTS ISSUED							
26/06/2014	26/06/2014	4/07/2014	5.95	631	48	<0.1	0.09	3	
8/10/2014	9/10/2014	15/10/2014	6.37	608	103	<0.1	0.12	3	
26/11/2014	27/11/2014	4/12/2014	6.49	723	125	<0.1	0.09	3	
4/03/2015	5/03/2015	12/03/2015	6.68	923	143	0.1	<0.05	<2	
23/06/2015	24/06/2015	4/07/2015	6.38	828	89	<0.1	<0.05	<2	
29/09/2015	30/09/2015	9/10/2015	6.59	697	122	<0.1	<0.05	3	
15/12/2015	16/12/2015	23/12/2015	6.31	796	154	0.1	<0.05	<2	
22/03/2016	No Sample								
21/06/2016	22/06/2016	5/07/2016	6.53	492	24	<0.1	<0.01	<2	
29/11/2016	30/11/2016	6/12/2016	6.69	626	109	<0.1	<0.05	<2	
20/12/2016	21/12/2016	3/01/2017	6.92	638	110	0.1	<0.05	<2	
21/03/2017	22/03/2017	27/03/2017	7.04	876	147	0.1	<0.05	<2	
27/06/2017	28/06/2017	4/07/2017	7.39	1010	196	<0.1	<0.05	<2	
22/08/2017	23/08/2017	29/08/2017	7.03	978	233	<0.1	<0.05	2	
28/11/2017	29/11/2017	4/12/2017	7	892	266	0.1	<0.05	<2	
27/03/2018	28/03/2018	5/04/2018	Did not recharge						
26/06/2018	27/06/2018	5/07/2018	6.72	1020	114	<0.1	<0.05	3	
18/09/2018	19/09/2018	27/08/2018	7.34	1250	413	0.2	<0.01	<2	